CZECH MYCOLOGY

FORMERLY ČESKÁ MYKOLOGIE

Publication of the Czech Scientific Society for Mycology

VOLUME 54

(2002–2003)

EDITORIAL BOARD

Editor-in-Chief

ZDENĚK POUZAR (Praha)

Managing editor

JAROSLAV KLÁN (Praha)

VLADIMÍR ANTONÍN (Brno)
ROSTISLAV FELLNER (Praha)
ALEŠ LEBEDA (Olomouc)
JIŘÍ KUNERT (Olomouc)
LUDMILA MARVANOVÁ (Brno)
PETR PIKÁLEK (Praha)
MIRKO SVRČEK (Praha)
PAVEL LIZOŇ (Bratislava)
HANS PETER MOLITORIS (Regensburg)

PRAHA 2003

CONTENTS

ADAMČÍK, S.: Russula faginea and similar taxa 177
ANTONÍN, V.: A revision of the type specimens of new species of Delicatula (Agaricales, Tricholomataceae) described by Josef Velenovský 205
– The first record of Amyloflagellula inflata from Benin, West Africa 235
BANDONI, R., KRUG, J. and GINNS, J.: On some Colacogloea species from Canada 31
BUJAKIEWICZ, A.: On the ecology of Scytinostroma portentosum found in Poland . 101
DECOCK, C. and RYVARDEN, L.: Two undescribed Microporellus species and notes on M. clemensiae, M. setigerus, and M. subincarnatus 19
ESTEVE-RAVENTÓS, F. and VILLARREAL, M.: Two new species of Psathyrella 83
FELLNER, R. and LANDA, J.: Mycorrhizal revival: case study from the Giant Mts.,Czech Republic 193
GULIS, V. and SUBERKROPP, K.: The effect of excluding plant litter on the aquatic hyphomycete conidia in a headwater stream 249
HOLEC, J. and SUKOVÁ, M.: Notes on the taxonomy of Cordyceps longisegmentis based on collections from the Czech Republic 105
KOTLABA, F.: To the 70th birthday of Zdeněk Pouzar 3
KUNERT, J. and NĚMEC, M.: Doc. RNDr. Zdeněk Hubálek sexagenarian 273
LEGON, N. and ROBERTS, P.: Steccherinum albidum: a new species from southern England 7
MIGLIOZZI, V. and CAMBONI, M.: The mycoflora of Roman coastal woodlands 7^{th} contribution: some species of the WWF oasis of Macchiagrande: Chaetocalathus craterellus and Crepidotus calolepis 93
MORAVEC, J.: Taxonomic revision of the genus Cheilymenia – 7. A reassessment of the sections Paracheilymeniae and Raripilosae. 113
– Taxonomic revision of the genus Cheilymenia – 8. The section Micropilosae. 135
MOREAU, P.-A. and COURTECUISSE, R.: Une réévaluation de Mycena radicifera J. Favre 161
PAŽOUTOVÁ, S. and KOLÍNSKÁ, R.: Relationship of Cerebella to Epicoccum and their closest relatives among Dothideales 155
ROGERS, J. D. and JU, Y.-M.: Nemania pouzarii, a new species from Oahu Island, Hawaii 79
SENN-IRLET, B. and MOREAU, P.-A.: Notes on three Rimbachia species from the Alps 145
SLÁVIKOVÁ, E. and VADKERTIOVÁ, R.: The occurrence of yeasts in grass-grown soils 239
TOMŠOVSKÝ, M.: The genus Phellinus in the Šumava Mts. 45
VIZÁROVÁ, G., BACIGÁLOVÁ, K. and TAMÁS, L.: Physiological reactions of Aspergillus niger isolates from different heavy metal polluted sites in Slovakia 261
WOJEWODA, W.: Dacryomyces ovisporus (Dacryomycetales, Basidiomycetes) new to the Czech Republic 11
Contents and index of generic and specific names of fungi Vol. 54 (2002–2003) (Landa J.)

New taxa, new combination, and validation

New serie

Cheilymenia Boud. ser. *Glabrae* J. Moravec 129

New species

Colacogloea allantospora Ginns et Bandoni 32 – *Microporellus ellipsosporus* Decock et Ryvarden 20 – *Microporellus brasiliensis* Ryvarden et Decock 23 – *Nemania pouzarii* J. D. Rogers et Y.-M. Ju 79 – *Psathyrella lutulenta* Esteve-Raventós et M. Villarreal 84 – *Psathyrella ornatispora* M. Villarreal et Esteve-Raventós 88 – *Steccherinum albidum* Legon et P. Roberts 7

New variety

Mycena radicifera J. Favre var. *apogama* Moreau et Courtecuisse 171

New combination

Hemimycena subtilis (Velen.) Antonín 230

Validation

Russula faginea Romagnesi ex Adamčík 185

Achroomyces bisporus 38;
– *sebaceus* 11;
Agaricus bryophilus 151;
– *calolepis* 96;
– *craterellus* 93;
Alatospora acuminata 252, 254, 255;
– *pulchella* 255;
Aleuria aurantiaca 224;
Amanita umbrinolutea 200;
Amauroderma 28;
– *schomburgkii* 28;
Ampelomyces 156, 159, 160;
– *heraclei* 156;
– *humuli* 156, 157;
– *quercinus* 156, 157;
Amyloflagellula 235;
– *inflata* 235–238;
– *pseudoarachnoidea* 236;
– *pulchra* 235, 237;
– *verrucosa* 237;
Anguillospora crassa 255;
– *filiformis* 254, 255, 256;
– *furtiva* 255;
– *longissima* 255;
– *rosea* 255;
Antrodia heteromorpha 198, 200;
– *pini-cubensis* 4;
Antrodiella beschidica 4;
– *faginea* 4;
– *farinacea* 4;
– *thompsoniana* 4;
Articulospora tetracladia 254, 255, 256;
Ascobolus pulcherrimus 115, 116;
– *raripilus* 115, 117, 122;
Ascophanus brunnescens 122;
Aspergillus niger 261–271;
Aureobasidium pullulans 242, 244;
Auricularia 12;

Barlaea stercoraria 138;

Calathinus craterellus 93;
Candida maltosa 242, 244;
Casaresia sphagnorum 255;
Cerebella 155–160;
– *andropogonis* 155–160;
– *pusilla* 156;
Chaetocalathus 95, 96, 235;
– *craterellus* 93–96;
Chaetomium 273;
Cheilymenia 113–132, 135–142;
– *aurantiacorubra* 115, 116;
– *bohemica* 116, 117, 126, 129, 130, 130/131, 131;
– *coprogena* 116, 117, 123, 124–129;
– *fimicola* 123, 124, 130;
– *granulata* 123;
– *hyalochaeta* 118, 120, 122, 123, 124, 128, 129;
– *insignis* 115, 123;
– *lacteoalba* 115, 116;
– *lundqvistii* 115, 116;
– *micropila* 136–138, 140–142;
– *notabilispora* 118, 120, 123, 124, 130/131;
– *pallida* 116;
– *pulcherrima* 115, 116, 123;
– *raripila* 116, 117–124, 127–130, 130/131, 131;
– *rubra* 141, 142;
– *stercoraria* 135–140, 142;
– *theleboloides* var. *microspora* 123, 124;
Clavariopsis aquatica 255;
Clavatospora longibrachiata 255;
Claviceps 155;
– *africana* 156;
– *purpurea* 156;
Clavulina coralloides 198, 199;
Colacogloea 31–43;
– *allantospora* 32–38, 41, 42;
– *bispora* 32, 34, 35, 36/37, 38–39, 42;
– *peniophorae* 32, 36/37, 38–39, 40, 41, 42, 43;
Collybia 214, 226;
– *cirrhata* 226;
– *racemosa* 226;
Coltricia 46;
Coprobia 131, 142;
Coprobia bohemica 129, 131;
Coprobia stercoraria 137;
Cordyceps 106;
– *canadensis* 108, 109;

– *capitata* 107, 108–109, 110;
– *longisegmentis* 106–110;
Cortinarius anomalus 197, 198;
– *brunneus* 200;
Crepidotus 95;
– *calolepidoides* 96;
– *calolepis* 94/95, 96–98;
– *calolepis* var. *calolepis* 98;
– *calolepis* var. *squamulosus* 98;
– *fulvotomentosus* 96;
– *mollis* 98;
– *mollis* subsp. *calolepis* 96;
– *mollis* var. *calolepis* 96;
– *mollis* var. *squamulosus* 98;
Crinipellis 95, 235;
– *craterellus* 94;
Cryptococcus 245, 246;
– *albidus* 241, 242;
– *laurentii* 241, 242;
– *neoformans* 273;
Cyphella arachnoidea 147;
– *muscicola* var. *neckerae* 152;
– *neckerae* 152;
– *pulchra* 235;
Cystofilobasidium capitatum 241, 242, 246;
Cystostiptoporus 29;
– *indicus* 22, 29;

Dacryomyces ovisporus 11–15;
– *sebaceus* 11;
Dactylella microaquatica 255;
Debaryomyces 245;
– *castellii* 241, 242, 244, 246;
– *hansenii* 242, 244;
Delicatula 205–232;
– *agrostidea* 206, 207;
– *alamellosa* 208, 216;
– *aristulata* 207, 208–209;
– *barbata* 209;
– *betulina* 209;
– *brevipes* 209–210;
– *capillipes* 210;
– *citrina* 210, 228, 229;
– *conidina* 207, 210–211;
– *crataegi* 207, 211–212;
– *cyathea* 212;
– *dumetorum* 212;
– *faginea* 212–213;
– *fasciata* 207, 213;
– *flexuosa* 207, 213–214;
– *gossypina* 214–215;
– *gracillima* 218;
– *graminicola* 215;
– *integrella* 221;
– *juliana* 215–216, 220;
– *lacrimans* 216;
– *laevis* 207, 216–217;
– *ligustrina* 217;
– *longispora* 217–218, 220;
– *ludmilae* 206, 218,232;
– *luzulae* 219, 220;
– *major* 219–221;
– *microscopica* 208;
– *phyllophila* 220, 221–222;
– *picea* 220, 221;
– *platyphylla* 222–223, 225;
– *polyadelpha* 224, 228;
– *polyphylla* 223;
– *quercina* 223–224;
– *ramosa* 224–226;
– *rigida* 225, 226;
– *rostellata* 226–227;
– *scirpina* 225, 227;
– *spinosae* 225, 227–228;
– *struthiopteridis* 210, 225, 228–229;
– *subluteola* 230;
– *subtilis* 225, 230;
– *terrestris* 225, 231;
– *umbonata* 225, 231–232;
– *vernalis* 218, 232;
– *vitrea* 229;
Dendrospora erecta 255;
Dendrothele wojewodae 4;
Didymella 156;
– *bryoniae* 156;
– *lycopersici* 156;
Dimorphospora foliicola 255;
Dwayaangam 255;

Elaphomyces 106, 107, 108, 108/109;
Emmonsia crescens 274;
Entoloma venosum 200;
Epicoccum 155–160;
– *andropogonis* 155;
– *nigrum* 156, 157, 159;

Fimaria bohemica 116, 129, 130, 131;
Flagellospora 254;
– *curvula* 255;
Fomes igniarius var. *trivialis* 57;
– *nigrolimitatus* 63;
– *tremulae* 69;
Fomitiporia punctata 67;
Fontanospora alternibrachiata 255;
– *eccentrica* 255;
Fuscoporia contigua 53;
– *ferruginosa* 55;
– *viticola* 71;

Geniculospora inflata 255;
Gloeophyllum sepiarium 198, 200;

Helicobasidium 31, 38, 43;
– *brebissoni* 31;
Heliscella stellata 255;
Heliscina antennata 255;
– *campanulata* 255;
Heliscus lugdunensis 255;
Hemimycena 165, 206, 214, 216, 219, 227, 228;
– *crispata* 232;
– *cyphelloides* 230;
– *delectabilis* var. *bispora* 219;
– *mauretanica* 208, 211, 213, 216, 222;
– *mauretanica* var. *apogama* 171;
– *mauretanica* var. *mauretanica* 229;
– *mauretanica* var. *megaspora* 222;
– *mauretanica* var. *stenospora* 211, 212, 228;
– *persimilis* 219;
– *pithyophila* 219;
– *pseudocrispata* 206;
– *pseudogracilis* 217, 223, 227;
– *subtilis* 230;
Humaria 138;
– *coprogena* 128;
– *macrospora* 130;
– *stercoraria* 136–142;
Hydropus 165;
– *scabripes* var. *quadrisporus* 171;
Hymenochaete 46;
Hyphoderma 41;
– *argillaceum* 39;
Hypoxylon 79;

Inocybe napipes 200;
Inonotus 46;

Lachnea coprogena 127;
Lachnella craterellus 94;
Lactarius helvus 198, 200;
– *lignyotus* 198, 199;
– *mitissimus* 200;
– *rufus* 200;
Lasiobolus 123;
– *dubius* 118, 120, 122, 124, 129;
– *raripilus* 117;
Lateriramulosa uniinflata 255;
Lemonniera aquatica 255;
– *pseudofloscula* 255;
– *terrestris* 255;
Leptoglossum candidum 152;
Leptosphaeria 156;
– *microscopica* 156;
– *nodorum* 156;
Lunulospora curvula 255, 256;

Marasmius pulcher 238;
Microcollybia 214;
Microporellus 19–30;
– *brasiliensis* 19, 23, 25–28, 29;
– *burkillii* 23;
– *celtis* 29;
– *clemensiae* 23, 25;
– *dealbatus* 29;
– *ellipsosporus* 19, 20–23, 26;
– *fuliginosus* 23;
– *peninsularis* 29;
– *setigerus* 19, 28–29;
– *subincarnatus* 19, 28;
– *violaceo-cinerescens* 22, 24;
Microsphaeropsis amaranthi 157, 158, 159;
Microsporum ripariae 273;
Mniopetalum bryophilum 151;
– *globisporum* 147;
Mycena 165, 170, 208–210, 212–216, 218–219, 221, 224, 226–228, 230;
Mycena flavoalba 228;
– *pseudocrispula* 230;
– *radicifera* 161–175;
– *radicifera* var. *apogama* 164, 168, 171, 172–174, 174/175;

– *radicifera* var. *radicifera* 163, 168, 171, 172;
Mycenella 165;
– *salicina* var. *bispora* 171;
Mycofalcella calcarata 255;

Nit aohidea 11;
– *sebacea* 11;
Nemania 79,80;
– *carbonacea* 80;
– *pouzarii* 79–81;

Omphalia 210, 222, 231;
– *cuspidata* 213;
– *gracillima* 218;
– *stellata* 209;
– *struthiopteridis* 210, 228, 229;
Onnia 46;

Patella raripila 117;
Paxillus involutus 200;
Peniophora suboryanella 40;
Perenniporia stipitata 28;
Peziza coprogena 124, 128;
– *hyalochaeta* 118;
Phellinidium ferrugineofuscum 55;
Phellinus 46–77;
– *abietis* 49;
– *alni* 46, 47–49, 77;
– *cavicola* 4, 46;
– *chrysoloma* 46, 49–51;
– *cinereus* 46, 51–53, 77;
– *conchatus* 46, 53, 54, 77;
– *contiguus* 46, 53, 77;
– *ferrugineofuscus* 46, 55, 77;
– *ferruginosus* 46, 55–57;
– *friesianus* 67;
– *hartigii* 46, 57, 58, 77;
– *igniarius* 46, 47, 57, 59, 60, 77;
– *igniarius* var. *alni* 47;
– *igniarius* var. *cinereus* 51;
– *isabellinus* 71;
– *laevigatus* 46, 59, 62, 77;
– *lundellii* 46, 61, 63, 64, 77;
– *nigrolimitatus* 46, 63, 66, 77;
– *ossatus* 47;
– *pilatii* 46;
– *pini* 46, 65, 68, 77;
– *pomaceus* 71;
– *populicola* 46;
– *pouzarii* 46, 65, 77;
– *pseudopunctatus* 46;
– *punctatus* 46, 67, 70, 77;
– *rhamni* 46;
– *ribis* 46;
– *robustus* 46;
– *torulosus* 46;
– *tremulae* 46, 69, 72, 77;
– *tuberculosus* 46, 71, 74, 77;
– *viticola* 46, 71, 73, 75–77;
Phoma 156, 159;
– *americana* 156;
– *epicoccina* 156, 157, 159;
– *glomerata* 156, 157, 159, 160;
– *herbarum* 157, 159;
– *macrostoma* 156;
– *medicaginis* 157, 159;
Phomopsis 157, 159, 160;
Platygloea 12, 36/37;
– *bispora* 38;
– *miedzyrzecensis* 11, 12, 14;
– *peniophorae* 38;
– *sebacea* 11;
Pleuropedium tricladioides 255;
Pleurotellus craterellus 93;
– *hypnophilus* 96;
– *patelloides* 94;
Plueurotus craterellus 93;
Polyporus 23;
– *dictyopus* 28;
– *ferruginosus* 55;
Porodaedalea chrysoloma 49;
– *conchata* 53;
– *pini* 65;
Psathyrella 83–90;
– *almerensis* 86;
– *baileyi* 85, 86, 88;
– *bivelata* 90;
– *friburgensis* 90;
– *globosivelata* 90;
– *lutulenta* 84–88;
– *ornatispora* 88–90;
– *pseudolimicola* 86, 87;
– *subpalustris* 86, 87, 88;
– *vinescens* 86, 88;

Rhodotorula glutinis 241, 242, 243;
Rimbachia 145–153;
– *arachnoidea* 145, 146, 147–149;
– *bryophila* 145, 146, 150, 151, 153;
– *neckerae* 145, 146, 152, 152/153, 153;
Russula 177–190;
– *abietum* 178, 180–182, 184, 186–188, 190;
– *barlae* 178, 181, 182, 186, 187, 190;
– *barlae* var. *pseudomelliolens* 181, 182, 183, 185, 188–190;
– *cicatricata* 180, 181, 186;
– *duportii* 189, 190;
– *emetica* 200;
– *erythropoda* 177;
– *faginea* 177–190;
– *graveolens* 190;
– *melliolens* 187;
– *pseudomelliolens* 178, 181, 186, 187, 189, 190;
– *xerampelina* var. *abietum* 187;
– *xerampelina* var. *barlae* 178, 181, 182, 184, 186;
– *xerampelina* var. *duportii* 189;
– *xerampelina* var. *pseudomelliolens* 185, 187;
Scutellinia coprogena 127;
Scytinostroma portentosum 101–103;
Sigmoidea 254;
Spiculogloea 37, 41;
– *minuta* 36/37, 37;
Sporobolomyces salmonicolor 241, 242;
Steccherinum albidum 7–9;
– *ochraceum* 9;
– *pallidum* 9;

Taeniospora gracilis var. *enecta* 256;
Tetrachaetum elegans 256;
Thanatephorus brevisporus 4;
Tremella 40;
Trichosporon 245;
– *cutaneum* 241, 242, 243;
– *pullulans* 242, 243;
Tricladium chaetocladium 254, 256;
Trinacrium 256;
Tripospermum 256;
– *myrti* 256;
– *prolongatum* 256;
Triscelophorus konajensis 256;
– *monosporus* 254, 256;
Tubulicrinis 41;
– *calothrix* 32, 35, 36, 37, 38;